

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Andrew Freistein on 3/15/2010.

### **AMENDMENT TO THE CLAIMS**

1. In claim 1 (page 3, line 15) and in claim 11 (page 6, line 14) "or a salt thereof" has been changed to --- or a pharmaceutically acceptable salt thereof ---.
2. In claim 11 (page 6, line 15), "pharmaceutically acceptable agent" has been changed to --- pharmaceutically acceptable carrier---.
3. In claim 10, delete compounds (2), (11), and (12).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRIAN MCDOWELL whose telephone number is (571)270-5755. The examiner can normally be reached on Monday-Thursday 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. James O. Wilson can be reached on 571-272-0661. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BRIAN MCDOWELL/  
Examiner, Art Unit 1624

**/James O. Wilson/  
Supervisory Patent Examiner, AU 1624**